

Windmill Primary School



Disability Access Audit Log & Actions from Audit 16th January 2017 MC & BH

| Access Audit Checklist | Audit Date | Actions & Timescale | Completed Date |
|---|------------|--|----------------|
| A – Approach & Car parking | 16/01/17 | Signage needs to be fully accessible including visual, audible and tactile information. Will take into consideration with the ordering of new signage once new Academy Sponsor is confirmed. Complete by end of academic year 17/18 | |
| B – Routes & external level change including ramps and steps | 16/01/17 | Signage – see above Nosings need to be more clearly identified on programme throughout the premises. | |
| C – Entrances, including reception | 16/01/17 | Signage – see above | |
| D – Horizontal movement and assembly | 16/01/17 | Signage – see above | |
| E – Vertical movement and internal level change | 16/01/17 | | |
| F – Doors | 16/01/17 | Consider replacement of some doors with half glass in next academic year. | |

| | | | |
|------------------------------------|-----------------|--|--|
| G – Lavatories | 16/01/17 | Signage needs to be clearer – see notes on signage. Fixtures need to be more clearly distinguished – see below. | |
| H – Fixtures & fittings | 16/01/17 | Fixtures and fittings need to be more clearly distinguished – plan in with decoration schedule for academic year 2017/18 | |
| I – Information | 16/01/17 | | |
| J – Means of escape | 16/01/17 | | |

ACCESS AUDIT CHECKLIST: Sheet of

Block.....A & ICT Suite..... Date of survey.....16/1/17.....

A - APPROACH and CAR PARKING

Consider each question from the perspective of each type of disability:

- **Wheelchair**
- **Ambulant**
- **Dexterity**
- **Visual**
- **Auditory**
- **Comprehension**

Tick the Y or N column as appropriate and add notes if necessary

A mark in the 'N' column indicates that the element should be given consideration in the school's Accessibility Plan.

| | Y | N | Notes |
|---|---|---|--|
| A01. Is the building within convenient distance of a public highway? | ✓ | | |
| A02. Is the building within convenient distance of public transport? | ✓ | | |
| A03. Is the building within convenient distance of car parking? | ✓ | | |
| A04. Is the route clearly marked/found? | | | The route to Reception is clearly marked. |
| A05. Is the route free of kerbs? | | | There are kerbs but all have dropped areas for access. |
| A06. Is the surface smooth and slip resistant? | ✓ | | |
| A07. Is the route wide enough? | ✓ | | |
| A08. Is it free of such hazards as bollards, litter bins, outward opening windows and doors or overhanging projections? | ✓ | | |
| A09. Is it adequately lit? | ✓ | | |
| A10. Is it identified by visual, audible and tactile information? | | ✓ | See action |
| A11. Is there car parking for people with reduced mobility? | ✓ | | |
| A12. Is the car parking clearly marked out, signed, easily found and kept free from misuse? | ✓ | | |
| A13. Is the car parking as near the entrance as possible? | ✓ | | |
| A14. Is the car parking area suitably surfaced? | ✓ | | |
| A15. Is the route to the building kept free of snow, ice and fallen leaves? | ✓ | | |
| A16. Is the route level? (ie. no gradient steeper than 1:20 and no steps) | ✓ | | |

General notes to block:

Signage is clear but not fully accessible. New signage will be required due to a forthcoming change of Academy sponsor so this will be considered then.

ACCESS AUDIT CHECKLIST: Sheet of

Block.....A & ICT Suite..... Date of survey.....16/1/17.....

B – ROUTES AND EXTERNAL LEVEL CHANGE INCLUDING RAMPS AND STEPS

Consider each question from the perspective of each type of disability:

- **Wheelchair**
- **Ambulant**
- **Dexterity**
- **Visual**
- **Auditory**
- **Comprehension**

Tick the Y or N column as appropriate and add notes if necessary

A mark in the 'N' column indicates that the element should be given consideration in the school's Accessibility Plan.

| | Y | N | Notes |
|--|---|---|----------------------------|
| B01. Is there a ramp, with level surfaces at top/intermediate/bottom? (delete) | ✓ | | Ramp to ICT Suite |
| B02. Is it wide enough and suitably graded? | ✓ | | |
| B03. Is the surface slip resistant? | ✓ | | |
| B04. Are there kerbs and are there edges protected to prevent accidents? | ✓ | | |
| B05. Are there handrails to one or both sides? (delete) | ✓ | | |
| B06. If a permanent ramp (or regraded levels) cannot be formed (perhaps to a Listed Building) is a portable ramp available? | | | Permanent Ramp |
| B07. Are there (alternative) steps? (delete) | | | n/a |
| B08. Identified by visual/tactile information? | | ✓ | See notes on signage for A |
| B09. Are there handrails to one or both sides? (delete) | | | |
| B10. Are ramps and steps adequately lit? | ✓ | | |
| B11. Are treads and risers consistent in depth and height? | ✓ | | |
| B12. Are all nosings marked and/or readily identifiable? (delete) | | ✓ | |
| B13. Are landings of adequate size and are they provided at intermediate levels in long flights? (delete) | ✓ | | |
| B14. If safe and convenient ramps and steps cannot be provided is vertical movement by powered means an alternative? see checklist E, sheets 8 and 9 | | | n/a |

General notes to block:

More accessible signage will be considered when new signage ordered.

Nosings will be more clearly marked on a schedule throughout the premises.

ACCESS AUDIT CHECKLIST: Sheet of

Block.....A & ICT Suite..... Date of survey...16/1/17.....

C – ENTRANCES, INCLUDING RECEPTION

Consider each question from the perspective of each type of disability:

- **Wheelchair**
- **Ambulant**
- **Dexterity**
- **Visual**
- **Auditory**
- **Comprehension**

Tick the Y or N column as appropriate and add notes if necessary

A mark in the 'N' column indicates that the element should be given consideration in the school's Accessibility Plan.

| | Y | N | Notes |
|---|---|---|--------------------------------|
| C01. Is the door clearly distinguishable from the facade? | | ✓ | |
| C02. If glass is it visible when closed? | ✓ | | |
| C03. Does the clear door opening or one leaf when opened permit passage of a wheelchair or double buggy? (delete) | | ✓ | |
| C04. Does it have a level or flush threshold, and a recessed matwell? (delete) | ✓ | | |
| C05. Is there visibility through the door/way from both sides at standing and seated levels? (delete) | ✓ | | |
| C06. Is there a minimum 300mm wide wheelchair manoeuvre space beside the leading edge of the door to clear doorswing? | ✓ | | |
| C07. Can the door furniture be used at both standing and seated height? (delete) | ✓ | | |
| C08. Can it be easily grasped and operated? | ✓ | | |
| C09. If the door has a closer mechanism does it have: | ✓ | | |
| (a) delayed closure action? | | | |
| (b) slow-action closer? | ✓ | | |
| (c) minimal closure pressure? | | | |
| C10. If the door is power-operated does it have visual and tactile information? | | | n/a |
| C11. If the door is security-protected is the system suitable for use by and within reach of people with sensory or mobility impairments? | ✓ | | |
| C12. If there is a lobby, do the inner and outer doors meet the same criteria? | ✓ | | |
| C13. Do lobby layouts enable all users to clear one door before going through the next? | ✓ | | |
| C14. Are signs designed and positioned to inform those with visual impairments and wheelchair users with reduced eye-levels? | | ✓ | Will consider with new signage |
| C15. Does the lighting installation take account of the needs of visually disabled people? | | | |

| | | | |
|--|--------|---|---------------------------------|
| C16. Are floor surfaces: | | | |
| (a) slip-resistant, even when wet? | ✓ | | |
| (b) of a quality that is sympathetic to acoustics – i.e. not so “hard” as to cause acoustic confusion? | ✓ ✓ | | |
| (c) firm for wheelchair manoeuvre? | ✓ | | |
| C17. Are junctions between floor surfaces arranged in a way that avoids presenting tripping hazards and causing visual confusion? | ✓ | | |
| C18. Is any reception point suitable for approach and use from both sides by people in standing and seated positions? | ✓ | | |
| C19. Is it fitted with an induction loop? | | ✓ | |
| C20. If public telephone is available (say at reception, is it, and its instructions): | | | n/a |
| (a) at a height suitable for all users? | | | |
| (b) equipped with inductive coupling? | | | |
| C21. For those progressing to other parts of the building is information provided by signs, supported by tactile information such as a map or model? | | ✓ | Will consider with new signage. |

General notes to block:

More accessible signage will be considered when new signage ordered.

ACCESS AUDIT CHECKLIST: Sheet of

Block.....A & ICT Suite..... Date of survey...16/1/17.....

D – HORIZONTAL MOVEMENT AND ASSEMBLY

Consider each question from the perspective of each type of disability:

- **Wheelchair**
- **Ambulant**
- **Dexterity**
- **Visual**
- **Auditory**
- **Comprehension**

Tick the Y or N column as appropriate and add notes if necessary

A mark in the 'N' column indicates that the element should be given consideration in the school's Accessibility Plan.

| | Y | N | Notes |
|--|---|---|---|
| D01. Is each corridor/passageway/aisle wide enough for a wheelchair user to manoeuvre and for other people to pass? | | ✓ | Alternative routes are accessible |
| D02. Is each corridor, etc, free from obstruction to wheelchair users and from hazards to people with impaired vision? | ✓ | | |
| D03. Do any lobbies allow users, (inc. w.ch. users) to clear one door before approaching the next with minimal manoeuvre? | ✓ | | |
| D04. Is turning space available for w.ch. users? | ✓ | | |
| D05. Do natural and artificial lighting avoid glare and silhouetting? | ✓ | | |
| D06. Are there visual clues for orientation? | | ✓ | |
| D07. Do floor surfaces: | | | |
| (a) allow ease of movement for wheelchair users? | ✓ | | |
| (b) avoid light reflection and sound reverberation? | ✓ | | As much as possible – Large Hall surface can be noisy but surface is required for purpose. Soft shoes used generally in the hall. |
| D08. Do textured surfaces convey useful information for people with impaired vision? | | | |
| D09. Are direction or information signs (inc means of escape) visible from both sitting and standing eye levels, and are they in upper and lower case, and large enough type to be read by those with impaired vision? | ✓ | | |
| D10. Are there tactile signs and information for those with impaired vision? | | ✓ | See other notes re signage |
| D11. Is the maintenance of these items checked regularly? | ✓ | | |
| D12. Is lighting designed to meet a wide range of needs? | ✓ | | |
| D13. Is sufficient circulation space allowed for wheelchair users? | ✓ | | |
| D14. Is it maintained clear of obstructions which could create hazards for people with visual disabilities? | ✓ | | |

| | | | |
|--|--|---|---|
| D15. Are seating arrangements/spaces suitable for use by people with visual disabilities? | | | Reception area is kept clear. Some classrooms are visually cluttered – these would be adapted if necessary. |
| D16. Are all areas for assembly/meeting equipped with an induction loop system? | | ✓ | |
| D17. If the use of an induction loop system is precluded is an infra-red system in place? | | | n/a |
| D18. Is the functioning and operation of the induction loop or infra-red system checked regularly? | | | n/a |
| D19. Are telephones fitted with inductive loop couplers? | | ✓ | |
| D20. Is a minicom available for use by people with hearing disabilities? | | ✓ | |

General notes to block:

ACCESS AUDIT CHECKLIST: Sheet of

Block.....A & ICT Suite..... Date of survey...16/01/17.....

E – VERTICAL MOVEMENT AND INTERNAL LEVEL CHANGE

Consider each question from the perspective of each type of disability:

- **Wheelchair**
- **Ambulant**
- **Dexterity**
- **Visual**
- **Auditory**
- **Comprehension**

Tick the Y or N column as appropriate and add notes if necessary

A mark in the 'N' column indicates that the element should be given consideration in the school's Accessibility Plan.

| | Y | N | Notes |
|---|--------|---|-------|
| E01. Is the location of any step/stairs/ramp clearly indicated by use of sign/colour/contrast/texture lighting? (delete) | | ✓ | |
| E02. Does any step/stairs/ramp have a handrail to to one/both side(s), and do(es) it/they extend 300mm beyond the top and bottom of any flight? (delete) | | ✓ | |
| E03. Is any level change clearly lit? | | | |
| E04. Is the pitch (risers & treads) of step/stairs or any ramp consistent, and are nosings clearly identifiable? (delete) | | ✓ | |
| E05. If there are landings are they large enough to permit passing and turning manoeuvres, and are they provided in any long flight? | ✓ | | |
| E06. Is any short rise within a single storey ramped; if so is the ramped surface indicated, and is it slip-resistant? | ✓ | | |
| E07. Are all ramp gradients easily negotiated? [Range length 3m max = 1 in 12, 6m max = 1 in 26, 10m max = 1 in 20] | ✓ ✓ | | |
| E08. If a permanent ramp cannot be provided (perhaps a listed Building) can a moveable ramp be made available? | | | n/a |
| E09. Are steps available as an alternative to any ramp or ramped surface? | ✓ | | |
| E10. Where level change is less than a full storey in height is a power-operated system appropriate? (Platform Lift/Stairlift/Lift - see 11, 12 & 13)? (delete) | | | n/a |
| E11. Platform Lift (delete) | | | n/a |
| (a) Are the controls at both levels identifiable, and reachable from sitting and standing levels? (delete) | | | |
| (b) Is the platform adequate for wheelchair use and manoeuvre. | | | |
| (c) In the event of a power failure does the platform return to lower level? | | | |
| (d) Is the equipment maintained and its operation checked regularly? | | | |
| E12. Stairlift (delete) | | | |
| (a) Are the controls at all levels identifiable, and reachable from sitting and standing levels? (delete) | | | |

| | | | |
|--|--|--|-----|
| (b) Is the platform adequate for wheelchair use and manoeuvre? | | | |
| (c) Is approach convenient and safe at all appropriate landings? (delete) | | | |
| (d) Does the stairlift have a 'Soft-Start' action? | | | |
| (e) When not in use is the platform powered to fold away to avoid obstruction? | | | |
| (f) In the event of a power failure does the platform return to lower level? | | | |
| (g) Is the equipment maintained and its operation checked regularly? | | | |
| E13. Lift | | | n/a |
| (a) Is the lift's location clearly defined by visual and tactile information? (delete) | | | |
| (b) Are controls at all floors visible, identifiable and reachable from sitting and standing levels? (delete) | | | |
| (c) Is there adequate, unobstructed space at each floor lift entry for wheelchair manoeuvre? | | | |
| (d) Does the lift door open widely enough for wheelchair user access? | | | |
| (e) Does door operation allow slow entry and exit? | | | |
| (f) Do the lift car internal dimensions allow sufficient space for a wheelchair user and carer? (delete) | | | |
| (g) Does the car have appropriate support rails? | | | |
| (h) Are the lift car controls, inc. emergency call, located within reach of all users and with visual and tactile information? | | | |
| (i) Is there audible floor indication? | | | |
| (j) Is the lift an 'Evacuation Lift? (see section J – MEANS OF ESCAPE) | | | |
| (k) Is the lift regularly maintained and its functional operation routinely checked? | | | |

General notes to block:
Level changes and nosings need more clearly identifying.

ACCESS AUDIT CHECKLIST: Sheet of

Block.....A & ICT Suite..... Date of survey.....16/01/17.....

F - DOORS

Consider each question from the perspective of each type of disability:

- **Wheelchair**
- **Ambulant**
- **Dexterity**
- **Visual**
- **Auditory**
- **Comprehension**

Tick the Y or N column as appropriate and add notes if necessary

A mark in the 'N' column indicates that the element should be given consideration in the school's Accessibility Plan.

| | Y | N | Notes |
|---|---|---|--|
| F01. Do the doors serve a functional/safety purpose? (delete) | ✓ | | |
| F02. Can they be readily distinguished? | | | Not always |
| F03. If glass, are they visible when shut? | ✓ | | |
| F04. Can people standing or sitting in a wheelchair see each other, and be seen from either side of the door? (delete) | | | Most are half glass but 6 main classroom doors only have a small viewing window which is too high. |
| F05. Does the clear opening width permit wheelchair access? | ✓ | | |
| F06. On the opening side of the door is there sufficient space (300mm) to allow the door handle to be grasped and the door swung past a wheelchair footplate? | ✓ | | |
| F07. Is any door furniture/handle at a height for standing/sitting use? (delete) | ✓ | | |
| F08. Are door/handles clearly distinguished? | | ✓ | |
| F09. Can the door furniture/handles be easily operated/grasped? (delete) | ✓ | | |
| F10. If door closers/mechanisms are fitted do they provide the following: (delete) | | | |
| (a) security linkage? | | | |
| (b) delay-action closure? | | | |
| (c) slow-action closure? | ✓ | | |
| (d) minimum closure pressure? | | | |
| F11. Is door/mechanism function checked regularly? | ✓ | | |

General notes to block:

Consider making door handles more distinguishable.

Also consider replacing some classroom door with half glass. NB – doors opening onto the hall need to mostly wood and also those in reception so visitors can't see straight in.

ACCESS AUDIT CHECKLIST: Sheet of

Block.....A & ICT Suite..... Date of survey...16/01/17.....

G - LAVATORIES

Consider each question from the perspective of each type of disability:

- **Wheelchair**
- **Ambulant**
- **Dexterity**
- **Visual**
- **Auditory**
- **Comprehension**

Tick the Y or N column as appropriate and add notes if necessary

A mark in the 'N' column indicates that the element should be given consideration in the school's Accessibility Plan.

| | Y | N | Notes |
|---|---|---|----------------------------------|
| G01. Is WC provision made for people with disabilities? | | ✓ | Not in this block |
| G02. Do all lavatory areas have slip-resistant floors? | ✓ | | |
| G03. Are they easy to distinguish by colour contrast from walls? | ✓ | | |
| G04. Are all fittings readily distinguishable from their background? | | | |
| G05. Are all door fittings/locks easily gripped and operated? | | | |
| G06. Can ambulant disabled people manoeuvre and raise and lower themselves in standard cubicles? | | | In some toilets in this building |
| G07. Is provision made for wheelchair users? If so: | | | In Block B |
| G08. Is wheelchair approach free of steps/narrow doors/obstructions, etc? (delete) | | ✓ | |
| G09. Is the location clearly signed? | | ✓ | |
| G10. Is there sufficient space at entry to the compartment for wheelchair manoeuvre and door opening? | | | Not for all |
| G11. Are the door fittings/locks and light switches easily reached and operated? | ✓ | | |
| G12. Is there an emergency call system and is someone designated to respond? | | ✓ | |
| G13. Can the emergency call system be operated from floor level? | | | |
| G14. Is the wheelchair WC compartment large enough to permit manoeuvre for frontal lateral/angled/backward transfer, with or without assistance? (delete) | | | |
| G15. Are the fittings arranged to facilitate these manoeuvres? | | | |
| G16. Are handwashing and drying facilities within reach of someone seated on the WC? | | ✓ | |
| G17. Is the tap appropriate for use by someone with limited dexterity, grip or strength? | | ✓ | |
| G18. Are suitable grab rails fitted in all the appropriate positions to facilitate use of the WC? | ✓ | | |

| | | | |
|---|--|---|--|
| G19. Is the manoeuvring area free of obstruction, eg boxed-in pipework/radiators/cleaner's equipment/disposal bins/ occasional storage, etc., and is any difficulty caused by the activity of service contractors? (delete) | | | |
| G20. If there is more than one standard layout WC compartment provided, are they handed to offer a left-sided approach and a right-sided approach? | | ✓ | |

General notes to block:
 Adult toilets in this block are non-standard and non-cubicle based. There is a fully accessible disabled toilet in Block B.

ACCESS AUDIT CHECKLIST: Sheet of

Block.....A & ICT Suite..... Date of survey...16/01/17.....

H – FIXTURES AND FITTINGS

Consider each question from the perspective of each type of disability:

- **Wheelchair**
- **Ambulant**
- **Dexterity**
- **Visual**
- **Auditory**
- **Comprehension**

Tick the Y or N column as appropriate and add notes if necessary

A mark in the 'N' column indicates that the element should be given consideration in the school's Accessibility Plan.

| | Y | N | Notes |
|---|---|---|---|
| H01. Is any servery/counter accessible to all users, including those with hearing impairments? | | ✓ | |
| H02. If the building has fixed seating are there also associated spaces for wheelchair users and at regular intervals on long routes? | | | n/a |
| H03. Is it possible for wheelchair users and people with other disabilities to approach and use all vending machines/drinking water dispensers, etc? | | ✓ | |
| H04. Is it possible for people with disabilities to serve as volunteers? | ✓ | | |
| H05. Are all fittings readily distinguishable from their background? | | ✓ | |
| H06. Where there are display stands, bookstalls etc. are they visible/reachable/accessible by people with disabilities? | | | |
| H07. In any eating/meeting space do tables, chairs and the layout allow for use by wheelchair users and other people with disabilities? | ✓ | | Tables and chairs in main hall are moveable |
| H08. In any staff accommodation is it suitable for use by people with disabilities including wheelchair users, with slip-resistant floor, reduced level kitchen units and sink and lever action taps? | | ✓ | |
| H09. Are all relevant locations clearly signed? | | ✓ | |

General notes to block:

Fixtures such as light switches are not readily distinguishable.

ACCESS AUDIT CHECKLIST: Sheet of

Block.....A & ICT Suite..... Date of survey...16/01/17.....

I - INFORMATION

Consider each question from the perspective of each type of disability:

- **Wheelchair**
- **Ambulant**
- **Dexterity**
- **Visual**
- **Auditory**
- **Comprehension**

Tick the Y or N column as appropriate and add notes if necessary

A mark in the 'N' column indicates that the element should be given consideration in the school's Accessibility Plan.

| | Y | N | Notes |
|---|---|---|---|
| I01. Is the building equipped to provide hearing assistance? | | ✓ | |
| I02. Does lighting installation of the building take into account the needs of people with visual disabilities? | | | |
| I03. Is there a tactile plan or diagram of the building? | | ✓ | |
| I04. Are there large-print versions of information about the building/activities available? | | ✓ | |
| I05. Is there 'braille' information available for people with visual disabilities? | | ✓ | |
| I06. Is there an 'audio' version of information about the building available? | | ✓ | |
| I07. Where there are staff available in the building at information/refreshment facilities, are they trained in communication with people with physical and sensory disabilities? | | | Teachers and Teaching Assistants do have a level of training. |
| I08. Where a payphone is provided does it have a hearing aid coupler? | | | n/a |
| I09. Are all relevant locations clearly signed? | | ✓ | |

General notes to block:

Visitors are not allowed free access to the building because of the nature of our business ie we need to safeguard our children.

ACCESS AUDIT CHECKLIST: Sheet of

Block.....A & ICT Suite..... Date of survey...16/1/17.....

J – MEANS OF ESCAPE

Consider each question from the perspective of each type of disability:

- **Wheelchair**
- **Ambulant**
- **Dexterity**
- **Visual**
- **Auditory**
- **Comprehension**

Tick the Y or N column as appropriate and add notes if necessary

A mark in the 'N' column indicates that the element should be given consideration in the school's Accessibility Plan.

| | Y | N | Notes |
|--|---|---|-------------|
| J01. Is there a visible as well as audible fire alarm system? (delete) | | ✓ | Not visible |
| J02. Are final exit routes as accessible to all, including wheelchair users, as are the entry routes? | ✓ | | |
| J03. Is evacuation from upper and lower levels possible using an evacuation lift/platform lift with a protected power supply? (delete) | | | n/a |
| J04. If people with disabilities cannot evacuate from the building independently are designated and signed refuges available? | | ✓ | |
| J05. If refuges are available are they equipped with 'carry chairs'? | | | n/a |
| J06. Is there a 'management evacuation strategy' for staff, pupils and visitors, and are staff trained in evacuation procedures? | ✓ | | |
| J07. Is the evacuation strategy checked regularly for its effectiveness? | ✓ | | |
| J08. Are evacuation routes checked routinely and regularly for freedom from combustible materials/obstacles/locked doors? (delete) | ✓ | | |
| J09. Are all fire warning devices and detectors checked routinely and regularly? | ✓ | | |

General notes to block:

ACCESS AUDIT CHECKLIST: Sheet of

Block.....B..... Date of survey...16/1/17.....

A - APPROACH and CAR PARKING

Consider each question from the perspective of each type of disability:

- **Wheelchair**
- **Ambulant**
- **Dexterity**
- **Visual**
- **Auditory**
- **Comprehension**

Tick the Y or N column as appropriate and add notes if necessary

A mark in the 'N' column indicates that the element should be given consideration in the school's Accessibility Plan.

| | Y | N | Notes |
|---|---|---|--|
| A01. Is the building within convenient distance of a public highway? | ✓ | | |
| A02. Is the building within convenient distance of public transport? | ✓ | | |
| A03. Is the building within convenient distance of car parking? | ✓ | | |
| A04. Is the route clearly marked/found? | | | The route to Reception is clearly marked. |
| A05. Is the route free of kerbs? | | | There are kerbs but all have dropped areas for access. |
| A06. Is the surface smooth and slip resistant? | ✓ | | |
| A07. Is the route wide enough? | ✓ | | |
| A08. Is it free of such hazards as bollards, litter bins, outward opening windows and doors or overhanging projections? | | | |
| A09. Is it adequately lit? | | ✓ | |
| A10. Is it identified by visual, audible and tactile information? | | ✓ | |
| A11. Is there car parking for people with reduced mobility? | ✓ | | |
| A12. Is the car parking clearly marked out, signed, easily found and kept free from misuse? | ✓ | | |
| A13. Is the car parking as near the entrance as possible? | ✓ | | |
| A14. Is the car parking area suitably surfaced? | ✓ | | |
| A15. Is the route to the building kept free of snow, ice and fallen leaves? | ✓ | | |
| A16. Is the route level? (ie. no gradient steeper than 1:20 and no steps) | ✓ | | |

General notes to block:

Signage is clear but not fully accessible. New signage will be required due to a forthcoming change of Academy sponsor so this will be considered then.

ACCESS AUDIT CHECKLIST: Sheet of

Block.....B..... Date of survey.....16/01/17.....

B – ROUTES AND EXTERNAL LEVEL CHANGE INCLUDING RAMPS AND STEPS

Consider each question from the perspective of each type of disability:

- **Wheelchair**
- **Ambulant**
- **Dexterity**
- **Visual**
- **Auditory**
- **Comprehension**

Tick the Y or N column as appropriate and add notes if necessary

A mark in the 'N' column indicates that the element should be given consideration in the school's Accessibility Plan.

| | Y | N | Notes |
|--|---|---|-------|
| B01. Is there a ramp, with level surfaces at top/intermediate/bottom? (delete) | ✓ | | |
| B02. Is it wide enough and suitably graded? | ✓ | | |
| B03. Is the surface slip resistant? | ✓ | | |
| B04. Are there kerbs and are there edges protected to prevent accidents? | | | |
| B05. Are there handrails to one or both sides? (delete) | ✓ | | |
| B06. If a permanent ramp (or regraded levels) cannot be formed (perhaps to a Listed Building) is a portable ramp available? | | | n/a |
| B07. Are there (alternative) steps? (delete) | ✓ | | |
| B08. Identified by visual/tactile information? | | ✓ | |
| B09. Are there handrails to one or both sides? (delete) | | ✓ | |
| B10. Are ramps and steps adequately lit? | ✓ | | |
| B11. Are treads and risers consistent in depth and height? | ✓ | | |
| B12. Are all nosings marked and/or readily identifiable? (delete) | | ✓ | |
| B13. Are landings of adequate size and are they provided at intermediate levels in long flights? (delete) | ✓ | | |
| B14. If safe and convenient ramps and steps cannot be provided is vertical movement by powered means an alternative? see checklist E, sheets 8 and 9 | | | n/a |

General notes to block:
As per Block A

ACCESS AUDIT CHECKLIST: Sheet of

Block.....B..... Date of survey...16/01/17.....

C – ENTRANCES, INCLUDING RECEPTION

Consider each question from the perspective of each type of disability:

- **Wheelchair**
- **Ambulant**
- **Dexterity**
- **Visual**
- **Auditory**
- **Comprehension**

Tick the Y or N column as appropriate and add notes if necessary

A mark in the 'N' column indicates that the element should be given consideration in the school's Accessibility Plan.

| | Y | N | Notes |
|---|---|---|--|
| C01. Is the door clearly distinguishable from the facade? | | | |
| C02. If glass is it visible when closed? | ✓ | | |
| C03. Does the clear door opening or one leaf when opened permit passage of a wheelchair or double buggy? (delete) | ✓ | | |
| C04. Does it have a level or flush threshold, and a recessed matwell? (delete) | ✓ | | |
| C05. Is there visibility through the door/way from both sides at standing and seated levels? (delete) | | ✓ | All main access doors and classroom doors are half glass for visibility. 3 office doors in this block are full wood. |
| C06. Is there a minimum 300mm wide wheelchair manoeuvre space beside the leading edge of the door to clear doorswing? | ✓ | | |
| C07. Can the door furniture be used at both standing and seated height? (delete) | ✓ | | |
| C08. Can it be easily grasped and operated? | ✓ | | |
| C09. If the door has a closer mechanism does it have: | | | |
| (a) delayed closure action? | | | |
| (b) slow-action closer? | ✓ | | |
| (c) minimal closure pressure? | | | |
| C10. If the door is power-operated does it have visual and tactile information? | | | n/a |
| C11. If the door is security-protected is the system suitable for use by and within reach of people with sensory or mobility impairments? | | ✓ | |
| C12. If there is a lobby, do the inner and outer doors meet the same criteria? | | | n/a |
| C13. Do lobby layouts enable all users to clear one door before going through the next? | | | n/a |

| | | | |
|--|--------|---|-----|
| C14. Are signs designed and positioned to inform those with visual impairments and wheelchair users with reduced eye-levels? | | | |
| C15. Does the lighting installation take account of the needs of visually disabled people? | ✓ | | |
| C16. Are floor surfaces: | ✓ | | |
| (a) slip-resistant, even when wet? | ✓ | | |
| (b) of a quality that is sympathetic to acoustics – i.e. not so “hard” as to cause acoustic confusion? | ✓ ✓ | | |
| (c) firm for wheelchair manoeuvre? | ✓ | | |
| C17. Are junctions between floor surfaces arranged in a way that avoids presenting tripping hazards and causing visual confusion? | ✓ | | |
| C18. Is any reception point suitable for approach and use from both sides by people in standing and seated positions? | | | n/a |
| C19. Is it fitted with an induction loop? | | | n/a |
| C20. If public telephone is available (say at reception, is it, and its instructions): | | | n/a |
| (a) at a height suitable for all users? | | | |
| (b) equipped with inductive coupling? | | | |
| C21. For those progressing to other parts of the building is information provided by signs, supported by tactile information such as a map or model? | | ✓ | |

General notes to block:

See notes for Block A re signage.

ACCESS AUDIT CHECKLIST: Sheet of

Block.....B..... Date of survey...16/01/17.....

D – HORIZONTAL MOVEMENT AND ASSEMBLY

Consider each question from the perspective of each type of disability:

- **Wheelchair**
- **Ambulant**
- **Dexterity**
- **Visual**
- **Auditory**
- **Comprehension**

Tick the Y or N column as appropriate and add notes if necessary

A mark in the 'N' column indicates that the element should be given consideration in the school's Accessibility Plan.

| | Y | N | Notes |
|--|---|---|---|
| D01. Is each corridor/passageway/aisle wide enough for a wheelchair user to manoeuvre and for other people to pass? | | ✓ | |
| D02. Is each corridor, etc, free from obstruction to wheelchair users and from hazards to people with impaired vision? | | ✓ | |
| D03. Do any lobbies allow users, (inc. w.ch. users) to clear one door before approaching the next with minimal manoeuvre? | | | n/a |
| D04. Is turning space available for w.ch. users? | ✓ | | |
| D05. Do natural and artificial lighting avoid glare and silhouetting? | ✓ | | |
| D06. Are there visual clues for orientation? | | ✓ | |
| D07. Do floor surfaces: | | | |
| (a) allow ease of movement for wheelchair users? | ✓ | | |
| (b) avoid light reflection and sound reverberation? | ✓ | | |
| D08. Do textured surfaces convey useful information for people with impaired vision? | | ✓ | |
| D09. Are direction or information signs (inc means of escape) visible from both sitting and standing eye levels, and are they in upper and lower case, and large enough type to be read by those with impaired vision? | | ✓ | Not in all areas of the building |
| D10. Are there tactile signs and information for those with impaired vision? | | ✓ | |
| D11. Is the maintenance of these items checked regularly? | ✓ | | |
| D12. Is lighting designed to meet a wide range of needs? | ✓ | | |
| D13. Is sufficient circulation space allowed for wheelchair users? | | | |
| D14. Is it maintained clear of obstructions which could create hazards for people with visual disabilities? | | | Classrooms are visually cluttered in places |
| D15. Are seating arrangements/spaces suitable for use by people with visual disabilities? | ✓ | | There are no fixed tables or chairs so they could be moved to adapt |
| D16. Are all areas for assembly/meeting equipped with an induction loop system? | | ✓ | |

| | | | |
|--|--|---|--|
| D17. If the use of an induction loop system is precluded is an infra-red system in place? | | ✓ | |
| D18. Is the functioning and operation of the induction loop or infra-red system checked regularly? | | ✓ | |
| D19. Are telephones fitted with inductive loop couplers? | | ✓ | |
| D20. Is a minicom available for use by people with hearing disabilities? | | ✓ | |

General notes to block:

ACCESS AUDIT CHECKLIST: Sheet of

Block.....B..... Date of survey...16/01/17.....

E – VERTICAL MOVEMENT AND INTERNAL LEVEL CHANGE

Consider each question from the perspective of each type of disability:

- **Wheelchair**
- **Ambulant**
- **Dexterity**
- **Visual**
- **Auditory**
- **Comprehension**

Tick the Y or N column as appropriate and add notes if necessary

A mark in the 'N' column indicates that the element should be given consideration in the school's Accessibility Plan.

| | Y | N | Notes |
|---|---|---|-------|
| E01. Is the location of any step/stairs/ramp clearly indicated by use of sign/colour/contrast/texture fighting? (delete) | | ✓ | |
| E02. Does any step/stairs/ramp have a handrail to to one/both side(s), and do(es) it/they extend 300mm beyond the top and bottom of any flight? (delete) | | ✓ | |
| E03. Is any level change clearly lit? | ✓ | | |
| E04. Is the pitch (risers & treads) of step/stairs or any ramp consistent, and are nosings clearly identifiable? (delete) | | ✓ | |
| E05. If there are landings are they large enough to permit passing and turning manoeuvres, and are they provided in any long flight? | | | n/a |
| E06. Is any short rise within a single storey ramped; if so is the ramped surface indicated, and is it slip-resistant? | ✓ | | |
| E07. Are all ramp gradients easily negotiated? [Range length 3m max = 1 in 12, 6m max = 1 in 26, 10m max = 1 in 20] | ✓ | | |
| E08. If a permanent ramp cannot be provided (perhaps a listed Building) can a moveable ramp be made available? | | | n/a |
| E09. Are steps available as an alternative to any ramp or ramped surface? | ✓ | | |
| E10. Where level change is less than a full storey in height is a power-operated system appropriate? (Platform Lift/Stairlift/Lift - see 11, 12 & 13)? (delete) | | | n/a |
| E11. Platform Lift (delete) | | | n/a |
| (a) Are the controls at both levels identifiable, and reachable from sitting and standing levels? (delete) | | | |
| (b) Is the platform adequate for wheelchair use and manoeuvre. | | | |
| (c) In the event of a power failure does the platform return to lower level? | | | |
| (d) Is the equipment maintained and its operation checked regularly? | | | |
| E12. Stairlift (delete) | | | n/a |

| | | | |
|--|--|--|-----|
| (a) Are the controls at all levels identifiable, and reachable from sitting and standing levels? (delete) | | | |
| (b) Is the platform adequate for wheelchair use and manoeuvre? | | | |
| (c) Is approach convenient and safe at all appropriate landings? (delete) | | | |
| (d) Does the stairlift have a 'Soft-Start' action? | | | |
| (e) When not in use is the platform powered to fold away to avoid obstruction? | | | |
| (f) In the event of a power failure does the platform return to lower level? | | | |
| (g) Is the equipment maintained and its operation checked regularly? | | | |
| E13. Lift | | | n/a |
| (a) Is the lift's location clearly defined by visual and tactile information? (delete) | | | |
| (b) Are controls at all floors visible, identifiable and reachable from sitting and standing levels? (delete) | | | |
| (c) Is there adequate, unobstructed space at each floor lift entry for wheelchair manoeuvre? | | | |
| (d) Does the lift door open widely enough for wheelchair user access? | | | |
| (e) Does door operation allow slow entry and exit? | | | |
| (f) Do the lift car internal dimensions allow sufficient space for a wheelchair user and carer? (delete) | | | |
| (g) Does the car have appropriate support rails? | | | |
| (h) Are the lift car controls. inc. emergency call, located within reach of all users and with visual and tactile information? | | | |
| (i) Is there audible floor indication? | | | |
| (j) Is the lift an 'Evacuation Lift? (see section J – MEANS OF ESCAPE) | | | |
| (k) Is the lift regularly maintained and its functional operation routinely checked? | | | |

General notes to block:

ACCESS AUDIT CHECKLIST: Sheet of

Block.....B..... Date of survey...16/01/17.....

F - DOORS

Consider each question from the perspective of each type of disability:

- **Wheelchair**
- **Ambulant**
- **Dexterity**
- **Visual**
- **Auditory**
- **Comprehension**

Tick the Y or N column as appropriate and add notes if necessary

A mark in the 'N' column indicates that the element should be given consideration in the school's Accessibility Plan.

| | Y | N | Notes |
|---|---|---|---|
| F01. Do the doors serve a functional/safety purpose? (delete) | ✓ | | |
| F02. Can they be readily distinguished? | ✓ | | |
| F03. If glass, are they visible when shut? | ✓ | | |
| F04. Can people standing or sitting in a wheelchair see each other, and be seen from either side of the door? (delete) | | ✓ | Most doors – 3 office doors are full wood |
| F05. Does the clear opening width permit wheelchair access? | ✓ | | |
| F06. On the opening side of the door is there sufficient space (300mm) to allow the door handle to be grasped and the door swung past a wheelchair footplate? | ✓ | | |
| F07. Is any door furniture/handle at a height for standing/sitting use? (delete) | ✓ | | |
| F08. Are door/handles clearly distinguished? | | ✓ | |
| F09. Can the door furniture/handles be easily operated/grasped? (delete) | ✓ | | |
| F10. If door closers/mechanisms are fitted do they provide the following: (delete) | | | |
| (a) security linkage? | | | |
| (b) delay-action closure? | | | |
| (c) slow-action closure? | ✓ | | |
| (d) minimum closure pressure? | | | |
| F11. Is door/mechanism function checked regularly? | ✓ | | |

General notes to block:

Consider making door handles more distinguishable.

Also consider replacing doors with half glass.

ACCESS AUDIT CHECKLIST: Sheet of

Block.....B..... Date of survey 16/01/17.....

G - LAVATORIES

Consider each question from the perspective of each type of disability:

- **Wheelchair**
- **Ambulant**
- **Dexterity**
- **Visual**
- **Auditory**
- **Comprehension**

Tick the Y or N column as appropriate and add notes if necessary

A mark in the 'N' column indicates that the element should be given consideration in the school's Accessibility Plan.

| | Y | N | Notes |
|---|---|---|----------------------------------|
| G01. Is WC provision made for people with disabilities? | ✓ | | |
| G02. Do all lavatory areas have slip-resistant floors? | ✓ | | |
| G03. Are they easy to distinguish by colour contrast from walls? | ✓ | | |
| G04. Are all fittings readily distinguishable from their background? | | ✓ | |
| G05. Are all door fittings/locks easily gripped and operated? | ✓ | | |
| G06. Can ambulant disabled people manoeuvre and raise and lower themselves in standard cubicles? | | ✓ | |
| G07. Is provision made for wheelchair users? If so: | ✓ | | Fully accessible disabled toilet |
| G08. Is wheelchair approach free of steps/narrow doors/obstructions, etc? (delete) | | ✓ | |
| G09. Is the location clearly signed? | | ✓ | Needs signage |
| G10. Is there sufficient space at entry to the compartment for wheelchair manoeuvre and door opening? | ✓ | | |
| G11. Are the door fittings/locks and light switches easily reached and operated? | | ✓ | |
| G12. Is there an emergency call system and is someone designated to respond? | | ✓ | |
| G13. Can the emergency call system be operated from floor level? | | ✓ | |
| G14. Is the wheelchair WC compartment large enough to permit manoeuvre for frontal lateral/angled/backward transfer, with or without assistance? (delete) | | ✓ | |
| G15. Are the fittings arranged to facilitate these manoeuvres? | | ✓ | |
| G16. Are handwashing and drying facilities within reach of someone seated on the WC? | | ✓ | |
| G17. Is the tap appropriate for use by someone with limited dexterity, grip or strength? | | ✓ | |
| G18. Are suitable grab rails fitted in all the appropriate positions to facilitate use of the WC? | ✓ | | |

| | | | |
|---|---|---|--|
| G19. Is the manoeuvring area free of obstruction, eg boxed-in pipework/radiators/cleaner's equipment/disposal bins/ occasional storage, etc., and is any difficulty caused by the activity of service contractors? (delete) | ✓ | | |
| G20. If there is more than one standard layout WC compartment provided, are they handed to offer a left-sided approach and a right-sided approach? | | ✓ | |

General notes to block:
The disabled WC needs clearly signposting and fittings need to be clearly distinguishable.

ACCESS AUDIT CHECKLIST: Sheet of

Block.....B..... Date of survey...16/01/17.....

H – FIXTURES AND FITTINGS

Consider each question from the perspective of each type of disability:

- **Wheelchair**
- **Ambulant**
- **Dexterity**
- **Visual**
- **Auditory**
- **Comprehension**

Tick the Y or N column as appropriate and add notes if necessary

A mark in the 'N' column indicates that the element should be given consideration in the school's Accessibility Plan.

| | Y | N | Notes |
|---|---|---|-------|
| H01. Is any servery/counter accessible to all users, including those with hearing impairments? | | ✓ | |
| H02. If the building has fixed seating are there also associated spaces for wheelchair users and at regular intervals on long routes? | | | n/a |
| H03. Is it possible for wheelchair users and people with other disabilities to approach and use all vending machines/drinking water dispensers, etc? | | ✓ | |
| H04. Is it possible for people with disabilities to serve as volunteers? | ✓ | | |
| H05. Are all fittings readily distinguishable from their background? | | ✓ | |
| H06. Where there are display stands, bookstalls etc. are they visible/reachable/accessible by people with disabilities? | | | |
| H07. In any eating/meeting space do tables, chairs and the layout allow for use by wheelchair users and other people with disabilities? | | ✓ | |
| H08. In any staff accommodation is it suitable for use by people with disabilities including wheelchair users, with slip-resistant floor, reduced level kitchen units and sink and lever action taps? | | ✓ | |
| H09. Are all relevant locations clearly signed? | | ✓ | |

General notes to block:

Fixtures such as light switches are not readily distinguishable.

ACCESS AUDIT CHECKLIST: Sheet of

Block.....B..... Date of survey...16/01/17.....

I - INFORMATION

Consider each question from the perspective of each type of disability:

- **Wheelchair**
- **Ambulant**
- **Dexterity**
- **Visual**
- **Auditory**
- **Comprehension**

Tick the Y or N column as appropriate and add notes if necessary

A mark in the 'N' column indicates that the element should be given consideration in the school's Accessibility Plan.

| | Y | N | Notes |
|---|---|---|--|
| I01. Is the building equipped to provide hearing assistance? | | ✓ | |
| I02. Does lighting installation of the building take into account the needs of people with visual disabilities? | ✓ | | |
| I03. Is there a tactile plan or diagram of the building? | | ✓ | |
| I04. Are there large-print versions of information about the building/activities available? | | ✓ | |
| I05. Is there 'braille' information available for people with visual disabilities? | | ✓ | |
| I06. Is there an 'audio' version of information about the building available? | | ✓ | |
| I07. Where there are staff available in the building at information/refreshment facilities, are they trained in communication with people with physical and sensory disabilities? | ✓ | | Teachers and TAs have some level of training |
| I08. Where a payphone is provided does it have a hearing aid coupler? | | | n/a |
| I09. Are all relevant locations clearly signed? | | ✓ | |

General notes to block:

Visitors are not allowed free access to the building due to the nature of our business ie we have to safeguard our children.

ACCESS AUDIT CHECKLIST: Sheet..... of

Block.....B..... Date of survey...16/01/17.....

J – MEANS OF ESCAPE

Consider each question from the perspective of each type of disability:

- **Wheelchair**
- **Ambulant**
- **Dexterity**
- **Visual**
- **Auditory**
- **Comprehension**

Tick the Y or N column as appropriate and add notes if necessary

A mark in the 'N' column indicates that the element should be given consideration in the school's Accessibility Plan.

| | Y | N | Notes |
|--|---|---|-------------|
| J01. Is there a visible as well as audible fire alarm system? (delete) | | ✓ | Not visible |
| J02. Are final exit routes as accessible to all, including wheelchair users, as are the entry routes? | ✓ | | |
| J03. Is evacuation from upper and lower levels possible using an evacuation lift/platform lift with a protected power supply? (delete) | | | n/a |
| J04. If people with disabilities cannot evacuate from the building independently are designated and signed refuges available? | | ✓ | |
| J05. If refuges are available are they equipped with 'carry chairs'? | | | n/a |
| J06. Is there a 'management evacuation strategy' for staff, pupils and visitors, and are staff trained in evacuation procedures? | ✓ | | |
| J07. Is the evacuation strategy checked regularly for its effectiveness? | ✓ | | |
| J08. Are evacuation routes checked routinely and regularly for freedom from combustible materials/obstacles/locked doors? (delete) | ✓ | | |
| J09. Are all fire warning devices and detectors checked routinely and regularly? | ✓ | | |

General notes to block: